


# KOI Hemp Wellness Shot Raspberry Punch 25mg

Overall Status: Pass

|                              |                       |                   |
|------------------------------|-----------------------|-------------------|
| Sample ID: 2010NIVA0331.0885 | Produced:             | Client            |
| Strain: Raspberry Punch 25mg | Collected:            | <b>Koi CBD</b>    |
| Matrix: Ingestible           | Received: 10/21/2020  | Lic. #            |
| Type: Beverage               | Completed: 10/29/2020 | 14631 Best Ave    |
| Sample Size: ; Batch Size:   | Batch#: 1641BB0222R   | Norwalk, CA 90650 |

|   |   |   |   |  |
|---|---|---|---|--|
|  | <b>Pass</b>   | <b>Pass</b>                                       | <b>Not Tested</b>                                   | <b>Pass</b>  |
|   | Foreign Matter<br><small>SOPTS.4.001</small>        | Heavy Metals<br><small>SOPTS.4.500 ICP-MS</small> | Moisture<br><small>SOPTS.4.001</small>              | Pesticides<br><small>SOPTS.4.301 GC-MS/MS<br/>SOPTS.4.300 LC-MS/MS</small> |
|   | <b>Pass</b>   | <b>Pass</b>                                       | <b>Not Tested</b>                                   | <b>Pass</b>  |
|   | Microbials<br><small>SOPTS.4.600 PathogenDx</small> | Solvents<br><small>SOPTS.4.400 GC-MS</small>      | Water Activity<br><small>NT<br/>SOPTS.4.003</small> | Mycotoxins<br><small>SOPTS.4.300 LC-MS/MS</small>                          |

## Cannabinoids (SOPTS.4.100 HPLC Analysis)

|                  |                   |                           |                 |
|------------------|-------------------|---------------------------|-----------------|
| <b>ND</b>        | <b>0.03%</b>      | <b>0.03%</b>              | <b>NT</b>       |
| <b>ND</b>        | <b>0.38 mg/mL</b> | <b>0.38 mg/mL</b>         |                 |
| <b>Total THC</b> | <b>Total CBD</b>  | <b>Total Cannabinoids</b> | <b>Moisture</b> |

| Analyte          | LOD    | LOQ    | Mass        | Mass         | Mass         | Mass         |
|------------------|--------|--------|-------------|--------------|--------------|--------------|
|                  | mg/g   | mg/g   | mg/mL       | %            | mg/serving   | mg/package   |
| CBD              | 0.0000 | 0.0000 | 0.38        | 0.03         | 27.37        | 27.37        |
| CBC              | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| CBG              | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| CBN              | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| CBDa             | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| CBDV             | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| CBGa             | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| THCa             | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| THCV             | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| Δ8-THC           | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| Δ9-THC           | 0.0000 | 0.0000 | ND          | ND           | ND           | ND           |
| <b>Total THC</b> |        |        | <b>ND</b>   | <b>ND</b>    | <b>ND</b>    | <b>ND</b>    |
| <b>Total CBD</b> |        |        | <b>0.38</b> | <b>0.034</b> | <b>27.37</b> | <b>27.37</b> |
| <b>Total</b>     |        |        |             | <b>0.034</b> | <b>27.37</b> | <b>27.37</b> |

Density: 1.103g per 1 mL

Cannabinoids Date Tested: 10/22/2020

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date: 10/21/2020



Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
10/29/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

# KOI Hemp Wellness Shot Raspberry Punch 25mg

Overall Status: Pass

|                              |                       |                   |
|------------------------------|-----------------------|-------------------|
| Sample ID: 2010NIVA0331.0885 | Produced:             | Client            |
| Strain: Raspberry Punch 25mg | Collected:            | <b>Koi CBD</b>    |
| Matrix: Ingestible           | Received: 10/21/2020  | Lic. #            |
| Type: Beverage               | Completed: 10/29/2020 | 14631 Best Ave    |
| Sample Size: ; Batch Size:   | Batch#: 1641BB0222R   | Norwalk, CA 90650 |

## Microbials

Pass

| Analyte                       | Result             | Status |
|-------------------------------|--------------------|--------|
| Aspergillus flavus            | Not Detected in 1g | Pass   |
| Aspergillus fumigatus         | Not Detected in 1g | Pass   |
| Aspergillus niger             | Not Detected in 1g | Pass   |
| Aspergillus terreus           | Not Detected in 1g | Pass   |
| Shiga toxin-producing E. Coli | Not Detected in 1g | Pass   |
| Salmonella SPP                | Not Detected in 1g | Pass   |

Date Tested: 10/26/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

## Mycotoxins

Pass

| Analyte          | LOD<br>µg/kg | LOQ<br>µg/kg | Limit<br>µg/kg | Units<br>µg/kg | Status |
|------------------|--------------|--------------|----------------|----------------|--------|
| B1               | 4.00         | 5.00         |                | ND             | Tested |
| B2               | 4.00         | 5.00         |                | ND             | Tested |
| G1               | 4.00         | 5.00         |                | ND             | Tested |
| G2               | 4.00         | 5.00         |                | ND             | Tested |
| Total Aflatoxins |              |              | 20.00          | ND             | Pass   |
| Ochratoxin A     | 16           | 20           | 20.00          | ND             | Pass   |

Date Tested: 10/22/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

## Heavy Metals


Pass

| Analyte | LOD<br>µg/g | LOQ<br>µg/g | Limit<br>µg/g | Units<br>µg/g | Status |
|---------|-------------|-------------|---------------|---------------|--------|
| Arsenic | 0.009       | 0.090       | 1.500         | ND            | Pass   |
| Cadmium | 0.009       | 0.090       | 0.500         | ND            | Pass   |
| Lead    | 0.009       | 0.090       | 0.500         | 0.134         | Pass   |
| Mercury | 0.005       | 0.020       | 3.000         | ND            | Pass   |

Date Tested: 10/27/2020

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
10/29/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-000024-LIC

QA Testing

3 of 5

# KOI Hemp Wellness Shot Raspberry Punch 25mg

Overall Status: Pass


|                              |                       |                   |
|------------------------------|-----------------------|-------------------|
| Sample ID: 2010NIVA0331.0885 | Produced:             | Client            |
| Strain: Raspberry Punch 25mg | Collected:            | <b>Koi CBD</b>    |
| Matrix: Ingestible           | Received: 10/21/2020  | Lic. #            |
| Type: Beverage               | Completed: 10/29/2020 | 14631 Best Ave    |
| Sample Size: ; Batch Size:   | Batch#: 1641BB0222R   | Norwalk, CA 90650 |

## Pesticides

Pass

| Analyte             | LOD   | LOQ   | Limit | Mass | Status | Analyte                 | LOD   | LOQ   | Limit | Mass | Status |
|---------------------|-------|-------|-------|------|--------|-------------------------|-------|-------|-------|------|--------|
|                     | µg/g  | µg/g  | µg/g  | µg/g |        |                         | µg/g  | µg/g  | µg/g  | µg/g |        |
| Abamectin           | 0.040 | 0.050 | 0.30  | ND   | Pass   | Fludioxonil             | 0.040 | 0.050 | 30.00 | ND   | Pass   |
| Acephate            | 0.050 | 0.100 | 5.00  | ND   | Pass   | Hexythiazox             | 0.010 | 0.020 | 2.00  | ND   | Pass   |
| Acequinocyl         | 0.040 | 0.050 | 4.00  | ND   | Pass   | Imazalil                | 0.040 | 0.050 | 0.04  | ND   | Pass   |
| Acetamiprid         | 0.010 | 0.020 | 5.00  | ND   | Pass   | Imidacloprid            | 0.010 | 0.020 | 3.00  | ND   | Pass   |
| Aldicarb            | 0.010 | 0.020 | 0.01  | ND   | Pass   | Kresoxim Methyl         | 0.020 | 0.050 | 1.00  | ND   | Pass   |
| Azoxystrobin        | 0.010 | 0.020 | 40.00 | ND   | Pass   | Malathion               | 0.010 | 0.020 | 5.00  | ND   | Pass   |
| Bifenazate          | 0.010 | 0.020 | 5.00  | ND   | Pass   | Metalaxyl               | 0.010 | 0.020 | 15.00 | ND   | Pass   |
| Bifenthrin          | 0.010 | 0.020 | 0.50  | ND   | Pass   | Methiocarb              | 0.010 | 0.020 | 0.01  | ND   | Pass   |
| Boscalid            | 0.040 | 0.050 | 10.00 | ND   | Pass   | Methomyl                | 0.010 | 0.020 | 0.10  | ND   | Pass   |
| Captan              | 0.100 | 0.100 | 5.00  | ND   | Pass   | Mevinphos               | 0.018 | 0.045 | 0.02  | ND   | Pass   |
| Carbaryl            | 0.020 | 0.050 | 0.50  | ND   | Pass   | Myclobutanil            | 0.040 | 0.050 | 9.00  | ND   | Pass   |
| Carbofuran          | 0.010 | 0.020 | 0.01  | ND   | Pass   | Naled                   | 0.040 | 0.050 | 0.50  | ND   | Pass   |
| Chlorantraniliprole | 0.040 | 0.050 | 40.00 | ND   | Pass   | Oxamyl                  | 0.010 | 0.020 | 0.20  | ND   | Pass   |
| Chlordane           | 0.030 | 0.050 | 0.03  | ND   | Pass   | Paclobutrazol           | 0.040 | 0.050 | 0.04  | ND   | Pass   |
| Chlorfenapyr        | 0.030 | 0.050 | 0.03  | ND   | Pass   | Parathion Methyl        | 0.030 | 0.050 | 0.03  | ND   | Pass   |
| Chlorpyrifos        | 0.020 | 0.050 | 0.02  | ND   | Pass   | Pentachloronitrobenzene | 0.030 | 0.050 | 0.20  | ND   | Pass   |
| Clofentezine        | 0.010 | 0.020 | 0.50  | ND   | Pass   | Permethrin              | 0.020 | 0.050 | 20.00 | ND   | Pass   |
| Coumaphos           | 0.050 | 0.100 | 0.05  | ND   | Pass   | Phosmet                 | 0.010 | 0.020 | 0.20  | ND   | Pass   |
| Cyfluthrin          | 0.050 | 0.100 | 1.00  | ND   | Pass   | Piperonyl Butoxide      | 0.010 | 0.020 | 8.00  | ND   | Pass   |
| Cypermethrin        | 0.050 | 0.100 | 1.00  | ND   | Pass   | Prallethrin             | 0.040 | 0.050 | 0.40  | ND   | Pass   |
| Daminozide          | 0.040 | 0.050 | 0.04  | ND   | Pass   | Propiconazole           | 0.040 | 0.050 | 20.00 | ND   | Pass   |
| Diazinon            | 0.010 | 0.020 | 0.20  | ND   | Pass   | Propoxur                | 0.010 | 0.020 | 0.01  | ND   | Pass   |
| Dichlorvos          | 0.050 | 0.100 | 0.05  | ND   | Pass   | Pyrethrins              | 0.042 | 0.084 | 1.00  | ND   | Pass   |
| Dimethoate          | 0.010 | 0.020 | 0.01  | ND   | Pass   | Pyridaben               | 0.030 | 0.050 | 3.00  | ND   | Pass   |
| Dimethomorph        | 0.020 | 0.050 | 20.00 | ND   | Pass   | Spinetoram              | 0.041 | 0.061 | 3.00  | ND   | Pass   |
| Ethoprophos         | 0.010 | 0.020 | 0.01  | ND   | Pass   | Spinosad                | 0.019 | 0.048 | 3.00  | ND   | Pass   |
| Etofenprox          | 0.010 | 0.020 | 0.01  | ND   | Pass   | Spiromesifen            | 0.010 | 0.020 | 12.00 | ND   | Pass   |
| Etoxazole           | 0.010 | 0.020 | 1.50  | ND   | Pass   | Spirotetramat           | 0.020 | 0.050 | 13.00 | ND   | Pass   |
| Fenhexamid          | 0.040 | 0.050 | 10.00 | ND   | Pass   | Spiroxamine             | 0.010 | 0.020 | 0.01  | ND   | Pass   |
| Fenoxycarb          | 0.010 | 0.020 | 0.01  | ND   | Pass   | Tebuconazole            | 0.050 | 0.100 | 2.00  | ND   | Pass   |
| Fenpyroximate       | 0.010 | 0.020 | 2.00  | ND   | Pass   | Thiacloprid             | 0.010 | 0.020 | 0.01  | ND   | Pass   |
| Fipronil            | 0.040 | 0.050 | 0.04  | ND   | Pass   | Thiamethoxam            | 0.010 | 0.020 | 4.50  | ND   | Pass   |
| Fonicamid           | 0.010 | 0.020 | 2.00  | ND   | Pass   | Trifloxystrobin         | 0.010 | 0.020 | 30.00 | ND   | Pass   |

Date Tested: 10/22/2020  
 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
 Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
10/29/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

QA Testing

4 of 5

# KOI Hemp Wellness Shot Raspberry Punch 25mg


Overall Status: Pass

|                              |                       |                   |
|------------------------------|-----------------------|-------------------|
| Sample ID: 2010NIVA0331.0885 | Produced:             | Client            |
| Strain: Raspberry Punch 25mg | Collected:            | <b>Koi CBD</b>    |
| Matrix: Ingestible           | Received: 10/21/2020  | Lic. #            |
| Type: Beverage               | Completed: 10/29/2020 | 14631 Best Ave    |
| Sample Size: ; Batch Size:   | Batch#: 1641BB0222R   | Norwalk, CA 90650 |

## Residual Solvents

| Analyte            | LOD  | LOQ  | Limit    | Mass | Status |
|--------------------|------|------|----------|------|--------|
|                    | µg/g | µg/g | µg/g     | µg/g | Pass   |
| 1,2-Dichloroethane | 0.25 | 0.50 | 1.000    | ND   | Pass   |
| Acetone            | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Acetonitrile       | 5.0  | 10   | 410.000  | ND   | Pass   |
| Benzene            | 0.25 | 0.50 | 1.000    | ND   | Pass   |
| Butane             | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Chloroform         | 0.25 | 0.50 | 1.000    | ND   | Pass   |
| Ethanol            | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Ethyl-Acetate      | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Ethyl-Ether        | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Ethylene Oxide     | 0.50 | 1.0  | 1.000    | ND   | Pass   |
| Heptane            | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Isopropanol        | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Methanol           | 5.0  | 10   | 3000.000 | ND   | Pass   |
| Methylene Chloride | 0.25 | 0.50 | 1.000    | ND   | Pass   |
| n-Hexane           | 5.0  | 10   | 290.000  | ND   | Pass   |
| Pentane            | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Propane            | 5.0  | 10   | 5000.000 | ND   | Pass   |
| Toluene            | 5.0  | 10   | 890.000  | ND   | Pass   |
| Trichloroethene    | 0.25 | 0.50 | 1.000    | ND   | Pass   |
| Xylenes            | 5.0  | 10   | 2170.000 | ND   | Pass   |

Date Tested: 10/27/2020 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
10/29/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6486  
thenivalabs.com/  
Lic# C8-0000024-LIC

QA Testing

5 of 5

# KOI Hemp Wellness Shot Raspberry Punch 25mg


Overall Status: Pass

|                              |                       |                   |
|------------------------------|-----------------------|-------------------|
| Sample ID: 2010NIVA0331.0885 | Produced:             | Client            |
| Strain: Raspberry Punch 25mg | Collected:            | <b>Koi CBD</b>    |
| Matrix: Ingestible           | Received: 10/21/2020  | Lic. #            |
| Type: Beverage               | Completed: 10/29/2020 | 14631 Best Ave    |
| Sample Size: ; Batch Size:   | Batch#: 1641BB0222R   | Norwalk, CA 90650 |

## Terpenes

| Analyte             | LOD  | LOQ  | Mass        | Mass     |
|---------------------|------|------|-------------|----------|
|                     | mg/g | mg/g | mg/g        | %        |
| α-Bisabolol         | 0.03 | 0.10 | ND          | ND       |
| α-Humulene          | 0.03 | 0.10 | ND          | ND       |
| α-Pinene            | 0.03 | 0.10 | ND          | ND       |
| α-Terpinene         | 0.03 | 0.10 | ND          | ND       |
| β-Caryophyllene     | 0.03 | 0.10 | ND          | ND       |
| β-Myrcene           | 0.03 | 0.10 | ND          | ND       |
| β-Pinene            | 0.03 | 0.10 | ND          | ND       |
| Camphene            | 0.03 | 0.10 | ND          | ND       |
| Caryophyllene Oxide | 0.03 | 0.10 | ND          | ND       |
| cis-Nerolidol       | 0.03 | 0.10 | ND          | ND       |
| δ-3-Carene          | 0.03 | 0.10 | ND          | ND       |
| δ-Limonene          | 0.03 | 0.10 | ND          | ND       |
| Eucalyptol          | 0.03 | 0.10 | ND          | ND       |
| γ-Terpinene         | 0.03 | 0.10 | ND          | ND       |
| Guaiol              | 0.03 | 0.10 | ND          | ND       |
| Isopulegol          | 0.03 | 0.10 | ND          | ND       |
| Linalool            | 0.03 | 0.10 | ND          | ND       |
| Ocimene             | 0.03 | 0.10 | ND          | ND       |
| p-Cymene            | 0.03 | 0.10 | ND          | ND       |
| Terpinolene         | 0.03 | 0.10 | ND          | ND       |
| trans-Nerolidol     | 0.03 | 0.10 | ND          | ND       |
| <b>Total</b>        |      |      | <b>0.00</b> | <b>0</b> |

## Primary Aromas



Date Tested: 10/28/2020  
 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B HS-GC-MS; SOPTS.4.200"  
 This terpenes method has not yet been evaluated for ISO/IEC 17025 accreditation.



Accreditation #101219  
ISO/IEC 17025:2017

*Kris Marsh*

Kris Marsh  
Lab Director  
10/29/2020

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty