

# Broad Spectrum Anytime CBD Gummies 2pk

Overall Status: Pass

Sample ID: 2107NIVA1214.3929  
Strain: Berry Lemonade  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: ; Batch Size:

Produced:  
Collected: 07/16/2021  
Received: 07/16/2021  
Completed: 07/26/2021  
Batch#: 210526171102

Client  
**Koi CBD**  
Lic. #  
14631 Best Ave  
Norwalk, CA 90650

	<b>Pass</b>	<b>Pass</b>	<b>Not Tested</b>	<b>Pass</b>
	Foreign Matter <small>SOPTS.4.001</small>	Heavy Metals <small>SOPTS.4.500 ICP-MS</small>	Moisture <small>SOPTS.4.001</small>	Pesticides <small>SOPTS.4.301 GC-MS/MS SOPTS.4.300 LC-MS/MS</small>
	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>	<b>Pass</b>
	Microbials <small>SOPTS.4.600 PathogenDx</small>	Solvents <small>SOPTS.4.400 GC-MS</small>	Water Activity <i>0.66 aw</i> <small>SOPTS.4.003</small>	Mycotoxins <small>SOPTS.4.300 LC-MS/MS</small>

## Cannabinoids (SOPTS.4.100 HPLC Analysis)

<b>ND</b> <b>ND</b> Total THC	<b>25.303 mg/serving</b> <b>25.303 mg/container</b> Total CBD	<b>25.303 mg/serving</b> <b>25.303 mg/container</b> Total Cannabinoids	<b>NT</b> Moisture
-------------------------------------	---	--	-----------------------

Analyte	LOD mg/g	LOQ mg/g	Mass mg/g	Mass %	Mass mg/serving	Mass mg/package
CBD	0.0200	0.0800	3.09	0.31	25.30	25.30
CBC	0.0200	0.0800	<LOQ	<LOQ	<LOQ	<LOQ
CBG	0.0200	0.0800	ND	ND	ND	ND
CBN	0.0200	0.0800	<LOQ	<LOQ	<LOQ	<LOQ
CBDa	0.0200	0.0800	ND	ND	ND	ND
CBDV	0.0200	0.0800	ND	ND	ND	ND
CBGa	0.0200	0.0800	ND	ND	ND	ND
THCa	0.0200	0.0800	ND	ND	ND	ND
THCV	0.0200	0.0800	ND	ND	ND	ND
Δ8-THC	0.0200	0.0800	ND	ND	ND	ND
Δ9-THC	0.0200	0.0800	ND	ND	ND	ND
<b>Total THC</b>			<b>&lt;LOQ</b>	<b>&lt;LOQ</b>	<b>&lt;LOQ</b>	<b>&lt;LOQ</b>
<b>Total CBD</b>			<b>3.093</b>	<b>0.309</b>	<b>25.303</b>	<b>25.303</b>
<b>Total</b>			<b>3.093</b>	<b>0.3093</b>	<b>25.303</b>	<b>25.303</b>

Density: g per 1 mL

Cannabinoids Date Tested: 07/19/2021

Total THC = (THCa x 0.877) + Δ9-THC; Total CBD = (CBDa x 0.877) + CBD; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Cured plant material reported as moisture-corrected % dry weight, other sample types reported "as is." Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 1260 HPLC.

Water Activity Analytical Instrumentation: Rotronic HCW HC2-AW-USB Water Activity Meter. Water Activity Analysis Date:; Water Activity Date Tested: 07/20/2021

; Moisture Date Tested:

Foreign Material Analytical Instrumentation: Illuminated Magnifying Lens. Foreign Material Analysis Date:; Foreign Matter Date Tested: 07/20/2021



Accreditation #101219  
ISO/IEC 17025:2017

Noah Kaplan  
Lab Director  
07/26/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Broad Spectrum Anytime CBD Gummies 2pk

Overall Status: Pass

<b>Sample ID:</b> 2107NIVA1214.3929	<b>Produced:</b>	<b>Client:</b>
<b>Strain:</b> Berry Lemonade	<b>Collected:</b> 07/16/2021	<b>Koi CBD</b>
<b>Matrix:</b> Ingestible	<b>Received:</b> 07/16/2021	<b>Lic. #</b>
<b>Type:</b> Soft Chew	<b>Completed:</b> 07/26/2021	14631 Best Ave
<b>Sample Size:</b> ; <b>Batch Size:</b>	<b>Batch#:</b> 210526171102	Norwalk, CA 90650

## Microbials

Pass

Analyte	Result	Status
Aspergillus flavus	NR	NT
Aspergillus fumigatus	NR	NT
Aspergillus niger	NR	NT
Aspergillus terreus	NR	NT
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 07/20/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: PathogenDx (PCR)

## Mycotoxins

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Units µg/kg	Status
B1	4.00	5.00		ND	Tested
B2	4.00	5.00		ND	Tested
G1	4.00	5.00		ND	Tested
G2	4.00	5.00		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	16	20	20	ND	Pass

Date Tested: 07/20/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS

## Heavy Metals

Pass

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Units µg/g	Status
Arsenic	0.009	0.090	1.5	ND	Pass
Cadmium	0.009	0.090	0.5	ND	Pass
Lead	0.009	0.090	0.5	<LOQ	Pass
Mercury	0.005	0.020	3	ND	Pass

Date Tested: 07/19/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;

Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 7900 ICP-MS



Accreditation #101219  
ISO/IEC 17025:2017

Noah Kaplan  
Lab Director  
07/26/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-000024-LIC

# Broad Spectrum Anytime CBD Gummies 2pk

Overall Status: Pass

Sample ID: 2107NIVA1214.3929  
Strain: Berry Lemonade  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: ; Batch Size:

Produced:  
Collected: 07/16/2021  
Received: 07/16/2021  
Completed: 07/26/2021  
Batch#: 210526171102

Client  
Koi CBD  
Lic. #  
14631 Best Ave  
Norwalk, CA 90650

## Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.040	0.050	0.3	ND	Pass	Fludioxonil	0.040	0.050	30	ND	Pass
Acephate	0.050	0.100	5	ND	Pass	Hexythiazox	0.010	0.020	2	ND	Pass
Acequinocyl	0.040	0.050	4	ND	Pass	Imazalil	0.040	0.050	0.04	ND	Pass
Acetamiprid	0.010	0.020	5	ND	Pass	Imidacloprid	0.010	0.020	3	ND	Pass
Aldicarb	0.010	0.020	0.01	ND	Pass	Kresoxim Methyl	0.020	0.050	1	ND	Pass
Azoxystrobin	0.010	0.020	40	ND	Pass	Malathion	0.010	0.020	5	ND	Pass
Bifenazate	0.010	0.020	5	ND	Pass	Metalaxyl	0.010	0.020	15	ND	Pass
Bifenthrin	0.010	0.020	0.5	ND	Pass	Methiocarb	0.010	0.020	0.01	ND	Pass
Boscalid	0.040	0.050	10	ND	Pass	Methomyl	0.010	0.020	0.1	ND	Pass
Captan	0.100	0.100	5	ND	Pass	Mevinphos	0.018	0.045	0.018	ND	Pass
Carbaryl	0.020	0.050	0.5	ND	Pass	Myclobutanil	0.040	0.050	9	ND	Pass
Carbofuran	0.010	0.020	0.01	ND	Pass	Naled	0.040	0.050	0.5	ND	Pass
Chlorantraniliprole	0.040	0.050	40	ND	Pass	Oxamyl	0.010	0.020	0.2	ND	Pass
Chlordane	0.030	0.050	0.03	ND	Pass	Pacllobutrazol	0.040	0.050	0.04	ND	Pass
Chlorfenapyr	0.030	0.050	0.03	ND	Pass	Parathion Methyl	0.030	0.050	0.03	ND	Pass
Chlorpyrifos	0.020	0.050	0.020	ND	Pass	Pentachloronitrobenzene	0.030	0.050	0.2	ND	Pass
Clofentezine	0.010	0.020	0.5	ND	Pass	Permethrin	0.020	0.050	20	ND	Pass
Coumaphos	0.050	0.100	0.05	ND	Pass	Phosmet	0.010	0.020	0.2	ND	Pass
Cyfluthrin	0.050	0.100	1	ND	Pass	Piperonyl Butoxide	0.010	0.020	8	ND	Pass
Cypermethrin	0.050	0.100	1	ND	Pass	Prallethrin	0.040	0.050	0.4	ND	Pass
Daminozide	0.040	0.050	0.04	ND	Pass	Propiconazole	0.040	0.050	20	ND	Pass
Diazinon	0.010	0.020	0.2	ND	Pass	Propoxur	0.010	0.020	0.01	ND	Pass
Dichlorvos	0.050	0.100	0.05	ND	Pass	Pyrethrins	0.042	0.084	1	ND	Pass
Dimethoate	0.010	0.020	0.01	ND	Pass	Pyridaben	0.030	0.050	3	ND	Pass
Dimethomorph	0.020	0.050	20	ND	Pass	Spinetoram	0.041	0.061	3	ND	Pass
Ethoprophos	0.010	0.020	0.01	ND	Pass	Spinosad	0.019	0.048	3	ND	Pass
Etofenprox	0.010	0.020	0.01	ND	Pass	Spiromesifen	0.010	0.020	12	ND	Pass
Etoazole	0.010	0.020	1.5	ND	Pass	Spirotetramat	0.020	0.050	13	ND	Pass
Fenhexamid	0.040	0.050	10	ND	Pass	Spiroxamine	0.010	0.020	0.01	ND	Pass
Fenoxycarb	0.010	0.020	0.01	ND	Pass	Tebuconazole	0.050	0.100	2	ND	Pass
Fenpyroximate	0.010	0.020	2	ND	Pass	Thiacloprid	0.010	0.020	0.01	ND	Pass
Fipronil	0.040	0.050	0.04	ND	Pass	Thiamethoxam	0.010	0.020	4.5	ND	Pass
Fonicamid	0.010	0.020	2	ND	Pass	Trifloxystrobin	0.010	0.020	30	ND	Pass

Date Tested: 07/19/2021  
LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 6470A LC-MS; Agilent 7010B GC-MS



Accreditation #101219  
ISO/IEC 17025:2017

Noah Kaplan  
Lab Director  
07/26/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Broad Spectrum Anytime CBD Gummies 2pk

Overall Status: Pass

Sample ID: 2107NIVA1214.3929  
Strain: Berry Lemonade  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: ; Batch Size:


Produced:  
Collected: 07/16/2021  
Received: 07/16/2021  
Completed: 07/26/2021  
Batch#: 210526171102

Client  
**Koi CBD**  
Lic. #  
14631 Best Ave  
Norwalk, CA 90650

## Residual Solvents

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloroethane	0.25	0.50	1.0	ND	Pass
Acetone	5.0	10	5000	ND	Pass
Acetonitrile	5.0	10	410	ND	Pass
Benzene	0.25	0.50	1.0	ND	Pass
Butane	5.0	10	5000	ND	Pass
Chloroform	0.25	0.50	1.0	ND	Pass
Ethanol	5.0	10	5000	62.466	Pass
Ethyl-Acetate	5.0	10	5000	ND	Pass
Ethyl-Ether	5.0	10	5000	ND	Pass
Ethylene Oxide	0.50	1.0	1.0	ND	Pass
Heptane	5.0	10	5000	ND	Pass
Isopropanol	5.0	10	5000	25.661	Pass
Methanol	5.0	10	3000	ND	Pass
Methylene Chloride	0.25	0.50	1.0	ND	Pass
n-Hexane	5.0	10	290	ND	Pass
Pentane	5.0	10	5000	ND	Pass
Propane	5.0	10	5000	ND	Pass
Toluene	5.0	10	890	ND	Pass
Trichloroethene	0.25	0.50	1.0	ND	Pass
Xylenes	5.0	10	2170	ND	Pass

Date Tested: 07/19/2021 LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested;  
Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B GC-MS-FID



Accreditation #101219  
ISO/IEC 17025:2017

Noah Kaplan  
Lab Director  
07/26/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty



The Niva Labs  
13171 Telfair Ave  
Sylmar, CA 91342

(213) 225-6482  
thenivalabs.com/  
Lic# C8-0000024-LIC

# Broad Spectrum Anytime CBD Gummies 2pk

Overall Status: Pass

Sample ID: 2107NIVA1214.3929  
Strain: Berry Lemonade  
Matrix: Ingestible  
Type: Soft Chew  
Sample Size: ; Batch Size:


Produced:  
Collected: 07/16/2021  
Received: 07/16/2021  
Completed: 07/26/2021  
Batch#: 210526171102

Client  
**Koi CBD**  
Lic. #  
14631 Best Ave  
Norwalk, CA 90650

## Terpenes

Analyte	LOD	LOQ	Mass	Mass
	mg/g	mg/g	mg/g	%
δ-Limonene	0.03	0.10	0.84	0.084
α-Bisabolol	0.03	0.10	ND	ND
α-Humulene	0.03	0.10	ND	ND
α-Pinene	0.03	0.10	ND	ND
α-Terpinene	0.03	0.10	ND	ND
β-Caryophyllene	0.03	0.10	ND	ND
β-Myrcene	0.03	0.10	ND	ND
β-Pinene	0.03	0.10	<LOQ	<LOQ
Camphene	0.03	0.10	ND	ND
Caryophyllene Oxide	0.03	0.10	ND	ND
cis-Nerolidol	0.03	0.10	ND	ND
δ-3-Carene	0.03	0.10	ND	ND
Eucalyptol	0.03	0.10	ND	ND
γ-Terpinene	0.03	0.10	<LOQ	<LOQ
Guaiol	0.03	0.10	ND	ND
Isopulegol	0.03	0.10	ND	ND
Linalool	0.03	0.10	ND	ND
Ocimene	0.03	0.10	ND	ND
p-Cymene	0.03	0.10	ND	ND
Terpinolene	0.03	0.10	ND	ND
trans-Nerolidol	0.03	0.10	ND	ND
<b>Total</b>			<b>0.84</b>	<b>0.084</b>


## Primary Aromas



Orange

Date Tested: 07/20/2021

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NT = Not Tested; Unless otherwise stated, all quality control samples performed within specifications established by the Laboratory. Analytical Instrumentation: Agilent 5977B HS-GC-MS; SOPTS.4.200"  
This terpenes method has not yet been evaluated for ISO/IEC 17025 accreditation.



Accreditation #101219  
ISO/IEC 17025:2017



Noah Kaplan  
Lab Director  
07/26/2021

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by Niva Labs using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Niva Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Niva Labs. Please contact The Niva Labs for information about measurement uncertainty. Please contact The Niva Labs for information about measurement uncertainty